UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/643,148	08/19/2003	Yukitoshi Sanada	031017	3546
23850 7590 05/29/2007 ARMSTRONG, KRATZ, QUINTOS, HANSON & BROOKS, LLP 1725 K STREET, NW			EXAMINER	
			ETTEHADIEH, ASLAN	
SUITE 1000 WASHINGTO	N, DC 20006		ART UNIT	PAPER NUMBER
			2611	
•			WAY 2475	
			MAIL DATE	DELIVERY MODE
			05/29/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Amiliantia	S I-
		Applicant(s)	
Office Action Comments	10/643,148	SANADA, YUKITOSHI	
Office Action Summary	Examiner	Art Unit	
•	Aslan Ettehadieh	2611	
The MAILING DATE of this communication app Period for Reply	ears on the cover shee	with the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMU 36(a). In no event, however, ma vill apply and will expire SIX (6) I cause the application to becom	NICATION. y a reply be timely filed MONTHS from the mailing date of this communication. Be ABANDONED (35 U.S.C. § 133).	
Status		· ·	
1)⊠ Responsive to communication(s) filed on <u>09 Ag</u> 2a) This action is FINAL . 2b) This 3) Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal m	•	
Disposition of Claims			•
4) ⊠ Claim(s) 1,2,4 and 5 is/are pending in the appli 4a) Of the above claim(s) 3 and 6 is/are withdra 5) ⊠ Claim(s) 1,2,4 and 5 is/are allowed. 6) □ Claim(s) is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	awn from consideration		
Application Papers	•		
9) The specification is objected to by the Examiner 10) The drawing(s) filed on <u>09 April 2007</u> is/are: a) Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Ex	☐ accepted or b)☑ old drawing(s) be held in abe ion is required if the draw	yance. See 37 CFR 1.85(a). ing(s) is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) □ All b) □ Some * c) □ None of: 1. □ Certified copies of the priority documents 2. □ Certified copies of the priority documents 3. □ Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received i rity documents have be I (PCT Rule 17.2(a)).	n Application No en received in this National Stage	
Attach mont(a)	•		
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper	ew Summary (PTO-413) No(s)/Mail Date of Informal Patent Application	

Art Unit: 2611

DETAILED ACTION

Response to Amendment

1. Applicant's cancellation of claims 3 and 6 in the reply filed on 04/09/2007 is acknowledged. Claims 3 and 6 are now cancelled. Office action address claims 1-2 and 4-5.

Drawings

2. The drawings are objected to because the amended portion of claim 1 states: "echo detector operates as a correlator", figure 5 shows the correlator and echo detector as being separate components. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required Application/Control Number: 10/643,148

Art Unit: 2611

corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Other prior art cited

The prior art made of record and not relies upon is considered pertinent to applicant's disclosure.

3. Hannah (US 6711216) discloses a UWB radio wherein the system generates anti-echos to cancel out any echos caused by the data signal (figures 4A and 4B, col. 5 lines 18 – 33).

Conclusion

4. This application is in condition for allowance except for the following formal matters:

The amended portion of claim 1 is not consistent with the drawings.

Prosecution on the merits is closed in accordance with the practice under Exparte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aslan Ettehadieh whose telephone number is (571) 272-8729. The examiner can normally be reached on Monday - Friday, 8:00am - 4:30pm.

Application/Control Number: 10/643,148

Art Unit: 2611

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Payne can be reached on (571) 272-3024. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Aslan Ettehadieh Examiner Art Unit 2611

Page 4

AΕ

SUPERVISORY PATENT EXAMINER